

# PET Grooming

*Make your dog's day more shining with  
our variety of grooming equipments!*




**ACIS**

PT. ACIS EKAMULA SUCAKTI

- Garansi Service 1 bulan. Terhitung mulai dari tanggal penerimaan barang
- Garansi Service tidak termasuk penggantian spare part
- Service dapat dilakukan di pusat service terdekat (Jakarta, Cikarang, Medan, Semarang, Surabaya).  
Untuk info lebih lanjut dapat menghubungi kami
- Mohon untuk melampirkan Surat Jalan atau Faktur Pembelian saat akan melakukan service

# Pet Grooming Table

LT-105A



COLORS



Product Size  
Packing Size  
Gross Weight

68 x 46 x 76 cm  
71 x 50 x 16 cm  
3.5kg

## Main Features

### New Foldable ABS Table:

- Table size: 68 x 46 x 76 cm
- Table top: Made of lightweight ABS material, available in blue, pink, and white. Weighs only 3.5 kgs.

### Stainless Steel Legs:

- Model LT-105A, made of stainless steel for durability.

### Foldable Steel Pipe Legs:

### Arm Rest:

- Made of stainless steel for added comfort.

### Convenient Size:

- Easy to store and transport due to its small size.

# Pet Grooming Table

LT-106A



Rubber edge

## Main Features

- The table features a rubber-plastic composite material for skid-resistance, wear-resistance, static-free and easy-to-clean performance.
- The high-pressure, high-density board construction prevents moisture damage and warping.
- The table is trimmed with an aluminum alloy rim for a sleek, durable look.
- The legs are made of 2.5cm equilateral stainless steel pipes or steel pine, with adjustable screws at the bottom for extra stability.
- Available leg options include the LT-106A stainless steel leg and the foldable.
- The table can be easily folded for storage and portability.


COLORS



Product Size	72 x 46 x (78-84) cm
Packing Size	95 x 49 x 10 cm
Gross Weight	9.2kg

# Pet Grooming Table

LT-109



COLORS



Product Size  
Packing Size  
Gross Weight

97 x 55 x 76 cm  
58 x 55 x 10 cm  
10kg

## Main Features

- New Light ABS Foldable Table
- Table Dimensions: 97 x 55 x 76 cm
- Table Top: Lightweight ABS Material, Foldable
- Table Legs: Foldable Steel Pipe with Spray Coating
- Stainless Steel Arm Included
- Compact Design, Easy to Store and Transport
- Maximum Capacity: 50 kgs

# Pet Grooming Table

LT-1101H



COLORS



Product Size	120 x 60 x 66 cm
Packing Size	123 x 63 x 15.5 cm
Gross Weight	19kg

## Main Features

- The grooming table features a rubber and plastic composite material that is anti-slippery, wear-resistant, anti-static, and easy to wash.
- The table board is made of high-pressure, high-density board to prevent moisture and deformation.
- The rims of the table are wrapped in aluminum alloy for durability and a beautiful appearance.
- The fixtures are monolithic molded steel for strength and durability.
- The 2-section suspenders are made of stainless

steel to prevent rust and have adjustable length. The product is versatile with options for plastic binding chains or nylon binding bands.

- The net basket for object placement is made of steel wire with high-temperature and electrostatic spray for durability and practicality.
- The table legs are made of 3.2cm diameter circular steel pipe.
- The table can be folded for convenient storage when not in use.

# Pet Grooming Table

## LT-1101

Product Size 120 x 60 x 66 cm  
Packing Size 123 x 63 x 15.5 cm  
Gross Weight 19kg



## LT-1102

Product Size 90 x 60 x 76 cm  
Packing Size 93 x 63 x 15.5 cm  
Gross Weight 15.2kg

## LT-1103

Product Size 81 x 51 x 76 cm  
Packing Size 84 x 54 x 15.5 cm  
Gross Weight 13kg



COLORS



## Main Features

- The grooming table features a rubber and plastic composite material that is anti-slippery, wear-resistant, anti-static, and easy to wash.
- The table board is made of high-pressure, high-density board to prevent moisture and deformation.
- The rims of the table are wrapped in aluminum alloy for durability and a beautiful appearance.
- The fixtures are monolithic molded steel for strength and durability.
- The 2-section suspenders are made of stainless

steel to prevent rust and have adjustable length. The product is versatile with options for plastic binding chains or nylon binding bands.

- The net basket for object placement is made of steel wire with high-temperature and electrostatic spray for durability and practicality.
- The table legs are made of 3.2cm diameter circular steel pipe.
- The table can be folded for convenient storage when not in use.

# Rotatable Oval Top Pet Grooming Table

## LT-1508A

Product Size 65 x 65 x 10 cm  
Packing Size 68 x 68 x 12 cm  
Gross Weight 14kg



## LT-1508B

Product Size 55 x 55 x 10 cm  
Packing Size 58 x 58 x 12 cm  
Gross Weight 11kg


## LT-1508C

Product Size 50 x 50 x 10 cm  
Packing Size 53 x 53 x 12 cm  
Gross Weight 11kg



## Main Features


- The table features a skid-resistant, wear-resistant, static-free, and washable rubber-plastic composite material.
- The high-pressure, high-density board prevents moisture damage and warping.
- Aluminum alloy sections enhance the table's durability and appearance.
- The stainless steel chassis and bearing structure ensure long-lasting performance and easy maintenance.
- Adjustable stainless suspenders and binding belts provide stability and support.
- Designed for small pets, the table is easy to move with a low height.
- LT-1508A has a diameter of 65CM.
- LT-1508B has a diameter of 55CM.
- LT-1508C has a diameter of 50CM.



COLORS




# Steel Foldable Grooming Table




## LT-100H

Product Size 120 x 60 x 66 cm  
Packing Size 123 x 63 x 11 cm  
Gross Weight 21,5kg



## LT-100

Product Size 120 x 60 x 66 cm  
Packing Size 123 x 63 x 11 cm  
Gross Weight 20kg



Rubber edge

## Main Features

- The grooming table has a rubber and plastic composite material that is anti-slippery, wear-resistant, anti-static, and easy to clean.
- The table board is made of high-pressure, high-density board that is moisture and deformation resistant.
- The rims of the table are wrapped in aluminum alloy for added beauty and durability.
- The suite fixtures are made of monolithic molded nylon and stainless steel and are rustproof, durable, and convenient.
- The 2-section suspenders are made of rustproof stainless steel and can be easily extended with a plastic binding chain or a nylon binding band.
- The table legs are made of circular steel pipes with a 2.5cm diameter, finished with high-temperature and electrostatic spray.

COLORS



# Steel Foldable Grooming Table



## Main Features

- The grooming table has a rubber and plastic composite material that is anti-slippery, wear-resistant, anti-static, and easy to clean.
- The table board is made of high-pressure, high-density board that is moisture and deformation resistant.
- The rims of the table are wrapped in aluminum alloy for added beauty and durability.
- The suite fixtures are made of monolithic molded nylon and stainless steel and are rustproof, durable, and convenient.
- The 2-section suspenders are made of rustproof stainless steel and can be easily extended with a plastic binding chain or a nylon binding band.
- The table legs are made of circular steel pipes with a 2.5cm diameter, finished with high-temperature and electrostatic spray.

### LT-101


Product Size 86 x 51 x 78 cm  
Packing Size 89 x 54 x 11 cm  
Gross Weight 12,2kg

### LT-102

Product Size 81 x 51 x 78 cm  
Packing Size 84 x 54 x 11 cm  
Gross Weight 11,8kg

### LT-103

Product Size 76 x 46 x 78 cm  
Packing Size 79 x 49 x 11 cm  
Gross Weight 11,8kg



COLORS



# Hydraulic Lifting Grooming Table



## LT-1218A

Product Size Ø60 x 68-97 cm  
Packing Size 67 x 62 x 20 cm  
Gross Weight 15kg

## LT-1218B

Product Size 60 x 40 x 68-97 cm  
Packing Size 62 x 42 x 20 cm  
Gross Weight 14,5kg

## Main Features

- The LT-1218 grooming table features a classic design and practical functions. Desktop that can rotate 360 degrees.
- The table is made of rubber-plastic composite materials, making it skid-resistant, wear-resistant, static-free, and easy to clean.
- The tabletop is constructed with high-pressure, high-density board to prevent moisture damage and deformation.
- The table rims are wrapped in rubber for added durability and aesthetic appeal.
- Using pneumatic lift, the adjustable desk height ranges from 68-97CM and provides strong lifting power.
- The stainless fixture is molded as a single piece from nylon, making it light, strong, and durable.
- The two-section stainless steel suspenders are resistant to stains and easily adjustable.

COLORS



ACIS

# Plastic Pet Bathtub



LT-1610

LT-1610 SET



*LT-1610 SET  
with all accessories  
Blower sold separately*



## Main Features

- The LT-1610 Series Pet Bathtub is made of food-grade PE plastic, which is non-toxic and environmentally friendly.
- The tub features an anti-slip pattern on its bottom, ramp, and small pet pedal for added safety. A stainless-steel hair filter and drainage system ensures a smooth and spill-free waste removal process.
- The tub's height is adjustable up to 8cm to accommodate various needs.
- The bathtub comes equipped with four gantry suspenders and binding belts for added stability.
- The inner dimensions of the bathtub measure 132cm in length, 65cm in width, and 50cm in depth.
- With the four fixed feet, the bathtub has a maximum height range of 88-96cm, and the baffle stands at 40cm.
- There are several available accessories to meet different requirements for the LT-1610 Series bathtub.

Product Size  
Packing Size  
Gross Weight

153 x 75 x 88-96 cm  
156 x 78 x 62 cm  
64 kg

# Pet Dryer Single Motor



LT-1090A

VARIABLE WIND SPEED AND  
TEMPERATURE ADJUSTABLE

Power	500W-2400W (Adjustable)
Voltage	AC220V
Air Speed	25M/S-50M/S
Temperature	30° - 70° (Full Speed)
Product Size	38 x 16 x 24 cm
Packing Size	41 x 27 x 27 cm
Gross Weight	5 kg



COLORS



## Main Features

- The LT-1090A Pet Dryer is a classic product with adjustable wind speed and temperature.
- It has 3 air outlets with stepless wind speed control and 2-step heating temperature.
- Wind speeds range from 15m/s to over 50m/s with a max impact of 540g.
- The air outlet temperature is 15-20°C higher than the surroundings when the heating switch is off, and 25-45°C higher when on.
- The machine and hose are designed for efficient attachment and detachment with scald protection.

# Pet Dryer Single Motor



LT-1090A-6

VARIABLE WIND SPEED AND  
TEMPERATURE ADJUSTABLE

Power	400W-2400W (Adjustable)
Voltage	AC220V
Air Speed	10M/S-54M/S
Temperature	20° - 75° (Full Speed)
Product Size	38 x 16 x 24 cm
Packing Size	41 x 27 x 27 cm
Gross Weight	5 kg



COLORS



## Main Features

- The LT-1090A-6 Pet Dryer is an improved classic product.
- Features adjustable wind speed (15m/s - 54m/s) and temperature with 2 steps.
- Comes with a flexible hose and 3 air outlets with different functions.
- Wind impact up to 580g at highest wind speed.
- 15-45°C temperature increase (depending on switch setting) at air outlet.
- Low noise design (78db max) compared to similar products.
- Easy hose connection and secure hose holder with scald protection.



# Pet Dryer Single Motor



LT-1090B


VARIABLE WIND SPEED AND  
TEMPERATURE ADJUSTABLE

Power	500W-2800W (Adjustable)
Voltage	AC220V
Air Speed	20M/S-56M/S
Temperature	30° - 70° (Full Speed)
Product Size	38 x 16 x 24 cm
Packing Size	41 x 27 x 27 cm
Gross Weight	5 kg



## Main Features

- The LT-1090B Pet Dryer is a high-performance device with a unique design.
- It features stepless wind speed control and 2-step temperature adjustment, with an adjustable hose and 3 multi-functional air outlets.
- Wind speeds range from 15m/s to over 62m/s.
- Air impact reaches 615g or above at the highest speed.
- With temperature switch off, air outlet temperature is 15-20°C higher than ambient, and 25-45°C higher when on.
- Specially designed air duct reduces machine noise to below 78db, 10-15db lower than comparable products.
- The machine and hose connection is designed for easy installation and detachment, with a protective scald-guard for hose holding.



COLORS



# Pet Dryer Single Motor



LT-1090B-8



## Main Features

- The plugs can be detached and easily replaced if broken.

### VARIABLE WIND SPEED AND 2 TEMPERATURE

OZONIZER Power	8W / 100mg/hour 2200W (Motor 1200W + Heating 1000W)
Voltage	AC220V
Air Speed	15M/S-48M/S
Temperature	20° - 75° (Full Speed)
Product Size	38 x 16 x 24 cm
Packing Size	41 x 27 x 27 cm
Gross Weight	5.5 kg



COLORS



# Pet Dryer Single Motor



## LT-1060A



COLORS  



Stepless speed regulation

VARIABLE WIND SPEED AND TEMPERATURE ADJUSTABLE

Power	500W-2400W (Adjustable)
Voltage	AC220V
Air Speed	20M/S-56M/S
Temperature	30° - 70° (Full Speed)
Product Size	38 x 16 x 24 cm
Packing Size	41 x 27 x 27 cm
Gross Weight	5.5 kg

## LT-S



VARIABLE WIND SPEED AND TEMPERATURE ADJUSTABLE

Power	500W-1200W (Adjustable)
Voltage	AC220V
Air Speed	25M/S-50M/S
Temperature	30° - 70° (Full Speed)
Product Size	30 x 16 x 20 cm
Packing Size	34 x 25 x 25 cm
Gross Weight	3.5 kg



Stepless speed regulation

A blow dryer designed specifically for cats, with a reduced machine size and significantly lowered noise levels. It is more suitable for drying cats.

COLORS



# New Dog Dryer Single Motor



## LT-M



COLORS



VARIABLE WIND SPEED AND TEMPERATURE ADJUSTABLE

Power	500W-2400W (Adjustable)
Voltage	AC220V
Air Speed	25M/S-50M/S
Temperature	30° - 70° (Full Speed)
Product Size	38 x 16 x 24 cm
Packing Size	41 x 27 x 27 cm
Gross Weight	5.5 kg



Stepless speed regulation

## LT-L



COLORS



VARIABLE WIND SPEED AND TEMPERATURE ADJUSTABLE

Power	500W-2400W (Adjustable)
Voltage	AC220V
Air Speed	25M/S-50M/S
Temperature	30° - 70° (Full Speed)
Product Size	38 x 16 x 24 cm
Packing Size	41 x 27 x 27 cm
Gross Weight	5.5 kg



Stepless speed regulation

The new dryer has improved internal structure, optimized air intake channels, and further reduced noise.

# New Dog Dryer Single Motor



## LT-GN



COLORS



Intelligent touch screen control dryer



VARIABLE WIND SPEED AND TEMPERATURE ADJUSTABLE

Power	500W-2200W (Adjustable)
Voltage	AC220V
Air Speed	20M/S-99M/S
Temperature	25° - 75° (Full Speed)
Product Size	38 x 16 x 24 cm
Packing Size	41 x 27 x 27 cm
Gross Weight	5.5 kg

### New digital dog dryer

The hair dryer is equipped with an intelligent touch screen control system, making operation much easier. In order for your beloved pet to adapt to the wind speed, there are three automatic acceleration modes, which reach the highest wind speed in 1-3-6 minutes starting from the lowest wind speed. You can also manually adjust the wind speed.

## LT-AN



COLORS



Stepless speed regulation



VARIABLE WIND SPEED AND TEMPERATURE ADJUSTABLE

Power	500W-2200W (Adjustable)
Voltage	AC220V
Air Speed	25M/S-50M/S
Temperature	30° - 70° (Full Speed)
Product Size	38 x 16 x 24 cm
Packing Size	41 x 27 x 27 cm
Gross Weight	5.5 kg

### New dog dryer

The same exterior mold has been used with traditional buttons. It features stepless wind speed control and two levels of temperature adjustment.

# Pet Dryer Double Motor



LT-1090D-1



COLORS



VARIABLE WIND SPEED  
NO TEMPERATURE CONTROL

Power	500W-3200W (Adjustable)
Voltage	AC220V
Air Speed	20M/S-85M/S
Temperature	25° - 65° (Full Speed)
Product Size	41 x 32 x 27 cm
Packing Size	44 x 38 x 28 cm
Gross Weight	8.5 kg

## Main Features

The LT-1090D-1 Pet Dryer:

- Classic design with higher power

Both models feature:

- Stepless wind speed adjustment
- Range of wind speed from gentle to strong
- Adjustable hose and 3 air outlets
- Wind speed up to 100m/s
- Wind impact of 1040g or higher (D model) or higher than 1100g (D-1 model)
- Air outlet temperature 15-20°C higher than surroundings
- Low noise level (below 82db) due to specially designed air duct
- Hose easily attaches/detaches from machine.



# Pet Dryer Double Motor



LT-1090D-H



COLORS



VARIABLE WIND SPEED  
WITH ADJUSTABLE TEMPERATURE

Power	500W-3600W (Adjustable)
Voltage	AC220V
Air Speed	20M/S-80M/S
Temperature	25° - 80° (Full Speed)
Product Size	41 x 32 x 27 cm
Packing Size	44 x 38 x 28 cm
Gross Weight	8.5 kg

## Main Features

- The LT-1090D-H Pet Dryer is a double-motor pet dryer with heating switch functions, making it an original creation in the industry.
- The dryer offers a big technological improvement with stepless wind speed adjustment and 2-step independent switch heating, expanding its wind speed range from gentle breeze to strong wind.
- The heating function is unseen in previous double-motor pet dryers, making the machine more efficient and usable in different seasons.
- The dryer is equipped with an adjustable hose and 3 air outlets of different sizes, with wind speeds ranging from 20m/s to 100m/s or more.
- The air outlet temperature is around 15 - 20°C higher than the surrounding environment, rising to 25 - 45°C with the heating switch on.
- A specially-designed air duct keeps noise below 82db, making it quieter than similar products.
- The machine and hose connection is designed for easy installation and detachment, with protection against scalding when holding the hose.